

DESIGN STANDARDS
Division 12
Trash Receptacles – Building Interior
Draft – May 27, 2015

PART 1: GENERAL

1.01 Purpose

This section contains standards regarding the selection of trash receptacles for public areas within buildings.

1.02 Placement

In general, these receptacles are to be placed at, within or near the following locations, as reviewed and approved by Facilities Services and Campus Planning and Projects (FSCP):

- Building and room exits
- Socialization areas
- Food service areas

1.03 Environmental Criteria

Provide information regarding the pre-consumer, post-consumer and total recycled content of the trash receptacle materials in accordance with current ISO definitions.

PART 2: PRODUCTS

2.01 Free-Standing Trash Receptacles

- A. Reclaim Recycling Center Model #RSD243616 as manufactured by KI, 1330 Bellevue Street, P.O. Box 8100, Green Bay, WI 54308-8100, or equal.
 - Fiberglass construction in accordance with the current standards of the Society of Plastics Industry in addition to performance testing for weathering and aging, flammability and stain resistance.
 - 2. Dimensions: Standard 24" x 16" x 36"H
 - 3. Openings: Two openings. Opening #1 TRASH. Opening #2 RECYCLING (just text, with no recycling symbol).
 - 4. Decal color: Black
 - 5. Finish: Standard matte finish
 - 6. Finish Color: Warm grey matte
 - 7. No fire retardant or concrete weighting.



Example from STEPS